


Flange for additional electric heating element for HW storage tanks

**R0BC 400, R0BC 500, RBC 400, RBC 500, R2BC 400,
R2BC 500 and RBC 300 HP 3.2**

Code: 17432




The longer electronic anode rod is placed from the tank top.

Flange for additional electric heating element for HW storage tanks

RBC 200 HP, RBC 300 HP, RBC 400 HP and RBC 500 HP

Code: 17434




The longer electronic anode rod is placed from the tank top.

Flange for additional electric heating element for HW storage tanks

R0BC750, R0BC 1000, RBC 750 HP and RBC 1000 HP

Code: 17428




The longer electronic anode rod is placed from the tank top.

Flange for additional electric heating element for HW storage tanks

RBC 750, RBC 1000, R2BC 750 and R2BC 1000

Code: 17433




The longer electronic anode rod is placed from the tank top.

Flange for additional electric heating element for HW storage tanks

**RBC 1500 HP, R0BC 1500, RBC 1500, R2BC 1500, R0BC 2000,
RBC 2000, R2BC 2000, R0BC 2500, RBC 2500, R2BC 2500
and R0BC 3000**

Code: 17435




The longer electronic anode rod is placed from the tank top.

Flange for additional electric heating element for HW storage tanks

RBC 3000 and R2BC 3000

Code: 17436



The longer electronic anode rods are placed from the tank top.